YUROVA, A.I.

CA

Changes in the properties of water under the influence of hydrocarbon oils. A. I. Ivyurova. *Izvestiya Akademii Nauk Tekh.* 15, No. 9, 18-21(1947). Mineral oil heavy, semicrude (I), machine (II), cylinder (III) and petrolatum (IV) were placed in glass-stoppered flasks with aerated water, and inoculated with fecal sewage, 1 ml. 1., at 20°. The consumption of O proceeded very rapidly, showing 2.70 for I, 1.54 for II, 0.2 for III, and 0.72 for IV, after two days; 15.08, 10.24, 7.04 and 2.88, resp., after ten days; and 12.74 for II, and 9.7 mg. ml. of oil for IV after twelve days. The consumption was greater for the lower grades, and where the oil was more finely subdivided. Simultaneously N was also consumed, as a free CO_2 liberated, oxidizability increased, oxidation being practically complete in the case of I. There was also an increase in color. Evidently, an oil film may impart all these properties to the reservoir water; and the effect may be even more pronounced than under exptl. conditions. B. Gutoff

ASM-SLA METALLURGICAL LITERATURE CLASSIFICATION

CA

11C

Determination of biochemical requirements in oxygen in water sealed with liquid petrolatum. A. I. Izyutova. *Microbiology* (U. S. S. R.) 10, 242-6(in English, 246) (1941); cf. *C. A.* 35, 6704[8], 7079[8].—The use of liquid petrolatum for sealing, with the purpose of creating anaerobic conditions, is unreliable, especially in the case of strict anaerobes. Atm. O penetrates the oil at a greater rate when the water to be sealed is O-deficient. The oil itself is subject to biochem. oxidation at the expense of the underlying water. In 6 days, through an oil layer of 0.5-1.5 cm., the water absorbed atm. O_2 to 28.91% of satn.

T. Isaacs

ASM-SLA METALLURGICAL LITERATURE CLASSIFICATION

PROCESSES AND PROPERTIES INDEX

CA

14

Disinfection of water by electrolysis. A. I. Ia'yurova and I. P. Orchinkin. *Hig. i Sanit.* (U.S.S.R.) 10, No. 10-11, 6-15 (1945).—The presence of 1 mg. per l. of active Cl in water produced by electrolysis is fatal to all bacteria immediately after, and 0.[illegible] mg. is sufficient on contact with the water 1-2 hrs. after the electrolysis. Nickel electrodes were used with chloride content up to 50 mg. per l., and graphite for 50-80 mg. Current consumption for 1 mg. per l. was 0.1-0.8 kw.-hr. per cu. m., lower for higher chloride content, and higher for Ni electrodes. B. Gutoff

ASM-SLA METALLURGICAL LITERATURE CLASSIFICATION

CA

14

Purification of water by electrolysis with aluminum electrodes. A. I. Izyurova and I. P. Ovchinkin. *Gigiena i Sanit.* 12, No. 3, 1-9(1947); cf. *C.A.* 40, 7458[9]. -Electrolysis with Al electrodes produces water suitable for drinking purposes, with considerably lowered bacterial count, which, however, still requires chlorination. The expenditure of elec. energy is rather high on the basis of lab. expts. but may be reduced by improved design of equipment. The expts. were conducted in a 17-l. glass vessel, at 6 v. and 0.35 amp. with spiral Al-wire electrodes placed horizontally near the bottom of the vessel. Both the color and the odor are substantially improved in a 4-hr. run on lake and run-off waters; N content is substantially unaffected; the amt. of dissolved O_2 drops by a factor of 5. Bicarbonates are largely destroyed and Ca and Mg are substantially removed by sepn. into the superficial film which forms during the process. Substantial decrease of total solids is observed (by removal into the above film). Ionic Al rises in the early stages, then drops, and is present only in traces after a 24-hr. standing after completion of electrolysis. G. M. Kosolapoff

ASM-SLA METALLURGICAL LITERATURE CLASSIFICATION

CA

14

Purification of water by electrolysis with iron electrodes

A. L. Izyurova and I. P. Ovchinkin. Gigiena i Sanit. 13, No. 7, 5-9(1948). Water purification by electrolysis with Fe electrodes is as satisfactory as that with Al electrodes (C. and O., C.A. 43, 13076) provided that filtration through sand is used, since Fe oxide coagulates slowly. Waters contg. little dissolved O must be pretreated with a source of O (aeration can be employed) or must be reelectrolyzed with graphite or Ni electrodes.

G. M. Kosolapoff

155T30

USSR/Medicine - Hygiene
Sanitation

Jan 50

"Rate of Decomposition of Petroleum Products in Water and in the Ground," A. I. Iz'yurova, Inst of Gen and Communal Hygiene, Acad Med Sci USSR, 6 pp

"Gig i San" No 1

Tests relative rates of decomposition on the surface of ponds, on the bottom, in soil, and in sand. Decomposition occurs about ten times as fast on the surface as on the bottom. Decomposition in sand and soil occur at about same rate, but more slowly than on surface of water.

155T30

110

/ **Influence of petroleum products on development of lower aquatic plants.** A. I. Ta'yurova (Ministry Health U.S.S.R., Moscow). *Gigiena i Sanit.* 1950, No. 10, 11-14.—Small amts. of crude petroleum (up to 1 g. per l.) greatly accelerate the growth and development of lower aquatic plants as detd. in cultures (with sand and H_2O in suitably protected jars). When petroleum is introduced near the sand level, the effect is more pronounced than is the case with surface addn.

G. M. Kosolapoff

[illegible], A. I.

RJ-169 [The rate of oxidation of petroleum products in water without the addition of nitrogen] Skorost' okisleniia nefteproduktov v vode bez dobavleniia azota. Gigiena i Sanitariia, 17(7): 12-17, 1952

VERTEBNAYA, I.P.; IZ"YUROVA, A.I.; KOLTUNOVA, A.S.; LITVINOV, A.S.; RUFTEL', M.A.

Sanitary state of bodies of water in the Lenin Volga-Don Navigation Canal system during the first year of its filling. Gig.i san. no.3:9-17 Mr '54. (MLRA 7:2)

1. Iz Instituta obshchey i kommunal'noy gigiyeny Akademii meditsinskikh nauk SSSR.
(Volga-Don Canal--Sanitary affairs)

IZYUROVA, A.I.

EXCERPTA MEDICA Sec 17 Vol 5/3 Public Health Mar 59

1094. CONCERNING THE POSSIBILITY OF USING BIOLOGICAL METHODS FOR THE FINAL PURIFICATION OF EFFLUENTS CONTAINING PETROLEUM PRODUCTS (Russian text) - Izyurova A. I. - GIG. I. SANIT. 1958, 2 (72-73) Tables 2

The authoress describes the results of laboratory tests for the separation of petroleum products from waste-water by means of Azotobacter croococcum (a microbiological method), and with activated sludge (a biological method). The results, showing the decrease of oil in the mixtures, are classified in tables. These experimental results, as well as the working results of some other authors, allow the conclusion that both methods may prove very useful in future. Symon - Prague

Inst. General & Communal Hygiene AMS USSR

Cand. Biol Sci

DRACHEV, S.M., prof.; VERTEBNAYA, P.I.; IZ"YUROVA, A.I.; KABANOV, N.M.; KOLTUNOVA, A.S.; BYLINKINA, A.A.; IZMEROV, N.F., red.; BEL'CHIKOVA, Yu.S., tekhn. red.

[Sanitation problems of the supply and utilization of water in arid districts]Gigienicheskie voprosy khoziaistvenno-pit'evogo vodosnabzheniia i vodopol'zovaniia v zasushlivykh raionakh. Moskva, Medgiz, 1961. 206 p. (MIRA 14:11)

(Water supply)

IZ"YUROVA, G.I., kand.tekhn.nauk, dotsent

Generator braking mode of the rectifier stage of an asynchronous motor. Trudy VZEI no.25:123-135 '64.

(MIRA 18:12)

IZ"YUROVA, N.A.; PAVLOV, A.A.

Table of Gauss' coordinates for a broad zone of the grid system. Uch. zap. LGU no.226:166-181 '58.
(Cartography--Tables, etc.) (MIRA 11:11)

JABIKIEWICS, J.

Plans for the development of the textile machinery industry up to 1970, p.331.

PRZEGLAD WLOKIENNICZY. (Stowaryszenie Inzynierow i Technikow Przemyslu Wlokienniczego) Loda, Poland, Vol. 13, No. 7, July 1959.

Monthly List of East European Accessions (EEAI) LC, Vol. 9, No. 2, Feb. 1959.

Uncl.

(30)

Belgrade. Acta Veterinaria, Vol 11, No 2, 1961

1. "Polysaccharide Hydrolysis by Use of Micro-Waves" [illegible] J. [illegible] Institute for Chemistry and Technology of Polymers, Faculty of Technology and Metallurgy, Belgrade; (English Summary) pp 1-8.

2. "Effect of Kemithal on ^{131}I Uptake by the Thyroid" M. [illegible], [illegible] Institute of Physiology, Veterinary Faculty, Belgrade (English Summary) pp 9-15.

3. "Vascular System of Liver in Gallus domesticus" O. [illegible], [illegible] Anatomical Institute, Belgrade; pp 17-27.

4. "Immunizing Chickens against Ne-castle Disease by Administering Vaccine in the Drinking Water"; [illegible] Veterinary Institutes (Zemun [illegible]) and 6th Veterinary Unit; People's Republic of Serbia) and 6th Veterinary Unit; Veterinary Faculty, Belgrade; (English Summary) pp [illegible]

5. "Bacteriologic Content of Center Area of Rams and Shoulder-Cuts Following Refrigeration at 45 C. for 30 Minutes"; J. [illegible], P. [illegible] Institute of Meat Technology, Belgrade; pp 37-44.

6. "Transmission of Fecal Trichomonads of Dirs to the Genital Tract of Cows and Sheep" [illegible] Obstetric Clinic, Veterinary Faculty, Belgrade; (English Summary) pp 45-50.

7. "Effect of Excluding Venous Outflow of Ovine Udder on the Function of the Gland"; [illegible] Anatomical Institute and Clinic [illegible] and Ophthalmology, Veterinary Faculty, Belgrade; (English Summary) pp 51-58.

8. "Effect of Ultrasound and Some Antiseptics on Trichomonas Genitalis and Eggs of Toxocara canis" A. [illegible] Institute of Parasitic Diseases, Belgrade; pp 59-70.

9. "Larval Forms of Digenea in River and Lake Snails in Serbia"; B.K. [illegible], Parasitology Institute, Veterinary

— 1/1 —

Belgrade, [illegible], Vol 11, No 2, 1963 (continued)

Faculty, Belgrade, pp 71-80

10. Electrotechnical Centre in Zagreb of Prof. S.S. [illegible]
Technical Institute, Faculty Faculty, Belgrade pp [illegible]

Abstract: [illegible]

30

2/2

BERVAR, Marijan, sanitetski potpukovnik dr; MIHAILOVIC, Dragoljub, sanitetski potpukovnik dr; JABLANOV, Jovan, sanitetski kapetan I kl. dr

How may the consequences of an accidental intra-arterial injection of barbiturate be alleviated? Vojnosanit. pregl. 19 no.9:603-607 S '62.

1. Vojnomedicinska Akademija u Beogradu, Klinika za hirurske bolesti.
(BARBITURATE TOXICOLOGY) (GANGRENE)

[illegible], [illegible].

The critical length of the catalyst in catalytic flow systems. [illegible] 2[illegible].

ROCZNIKI CHEMII. (Polska Akademia Nauk) Warszawa, Poland, Vol. 33, no. 1, 1959.

Monthly list of East European Accessions (EEAI) LC, Vol. [illegible], no. [illegible], December 1959.
Uncl.

[illegible]

Rates of catalytic reactions in flow systems. [illegible]

[illegible] (Doklady Akademii Nauk) Moscow, Soviet, Vol. 31, no. 1, 1 [illegible].

Monthly list of East European Accessions ([illegible]), Vol. [illegible], no. [illegible], [illegible]
Unclassified.

JABLCZYNSKA – JEDRZEJEWSKA

Distr: 4E2c(j)

Investigations on aldol reactions in gaseous phase. VI. Hanna Jablczyńska-Jedrzejewska, Stanisław Malinowski, and Stefan Przybysz (Politechnika, Warsaw). *Roczniki Chem.* 33, 605-73(1959)(English summary); cf. *C.A.* 53, 7974c.—The yields of acrolein (I) from acetaldehyde (II) and formaldehyde (III) on the previously described catalyst (*C.A.* 52, 19917c) at 300° were detd. for different lengths of catalysts layer and linear flow rates *u* of II and III. The crit. active length and the value of *u* were found to be important factors but not the vol. of sp. surface of the catalyst or the charge of the reagents. The errors committed by using the vol. parameters for detn. of the rate of reaction are discussed, and the possible importance of the crit. length and of *u* are emphasized. VII. On reactions between aliphatic nitriles and aldehydes. 1. Stanisław Krzyżanowski and Stanisław Malinowski. *Ibid.* 993-1013.—The yield of acrylonitrile (I) in the reaction of acetonitrile (II) with formaldehyde (III) (trade mixt. contg. 35.2% III and 7% MeOH) on silica gel catalyst (*C.A.* 51, 8050d) was studied, by changing the temp., the ratio of II to III and the rate of flow. The max. yield (32%) of I was obtained at 284-8°, mol. ratio II/III = 1/3 and the rate of 0.5 moles II/hr./l. catalyst. The influence of possible by-products and impurities on the results of detn. of I by the method of Beesing, *et al.* (*C.A.* 43, 8970c), was extensively studied.

A. Kręglewski

RUSZKOWSKI, Josef; JABLCZYNSKI, Wladyslaw.

A case of coexistent tuberculosis and cancer of adnexa uteri and peritoneum. Polski tygod.lek. 11 no.4:168-171 23 Jan 56.

1. Z Oddzialu Polozniczo-Ginekologicznego Instytutu Gruzlicy i Instytutu Doskonalenia i Specjalizacji Kadr Lekarskich w Warszawie: kier: prof. dr Malgorzata Buleka; dyrektor Instytutu Gruzlicy: prof. Janina Misiewicz; dyrektor I.D. i S.K.L.: prof. dr Walenty Hartwig. Warszawa, Instytut Gruzlicy.

(ADNEXA, UTERI, neoplasms
with tuberc., preop. diag.)
(TUBERCULOSIS, FEMALE GENITAL, compl.
cancer of adnexa uteri, preop. diag.)

JABLKIEWICZ, J., inz.

Two years of activities of the Lodz Provincial Committee of Technical Cooperation of the Chief Technical Organization. Przegl techn 84 no.1:10 6 Ja '63.

62

Glassmelting by electricity. J. JANIKOWSKI. *Silikat. Ceram.*, 3 [12] 312–15 (1962).—Large graphite electrodes are used, and losses are approximately 1 kg. of graphite per 110 tons of glass. Electric heating is more economical than coal heating, a 50% greater yield being obtained. Special types of glasses, i.e., quartz, borosilicate, etc., can be melted. 2 figures, 6 references.

A.D.L.

JARLKOWSKI, J.
KINEL, S.

"Specialization of cadres in the glass industry", p. [illegible], SZKLO I CERAMIKA, Vol. 4, No. 3, Mar. 1953, Warszawa, Poland)

SO: Monthly List of East European Accessions, (EEAL), LC, Vol. 4, No. 5, May 1955, Uncl.

POLAND/Chemical Technology. Chemical Products and their Application. J-12
Glass. Ceramics. Building Materials.

Abs Jour: Referat Zh.-Kh., No 8, 1957, 27664 P.

Author : Zdzislaw Bobrowski, Janusz Jablkowski.
Inst : Biuro Projektow Przemyslu Materialow Budowlanych. Przedsiebiorstvo Panstwowe Wyodrebnione.
Title : Method of Production of Solid or Hollow Glass Fiber Drawn from Semifree Meniscus.

Orig Pub: Polish patent 37690 of July 30, 1955.

Abstract: The molten glass mass flowing out from the bottom part of the glass receiver through a funnel shaped mouthpiece is drawn into fibers from the partly free surface of the meniscus, which guarantees the stability of the flow. Hollow fiber is produced by the same method, but an opening is made in the center of the mouthpiece, through which air is blown in. The produced glass fiber differs profitably from fiber produced by drawing of rods or by the centrifugal method by its uniform thickness.

Card : 1/1 -51-

JABLKOWSKI, J.

"Manufacturing glass pearls", p. 9, (SZKLO I CERAMIKA, Vol.6, No. 1, Jan. 1955, Warszawa, Poland)

SO: Monthly List of East Accessions, (EEAI) , LC, Vol. 4, No. 5, May 1955, Uncl.

POLAND/Chemical Technology. Chemical Products and Their Application. J-12
Glass. Ceramics. Building Materials.

Abs Jour: Referat Zh.-Kh., N 8, 1957, 27631.

Author : Janusz Jabkowski
Inst :
Title : Nature of Internal Stresses in Glass.

Orig Pub: Szklo i ceram., 1955, 6, No 10, 229-231.

Abstract: The characteristical phenomenon of changing mechanical properties of glass fibers depending on their diameter, time and temperature are described and the attempts made so far to explain these anomalies are related. A new theory explaining the properties of thin glass fibers by relaxation effects is proposed, the applied method being based on thermodynamical considerations. The received results are substantiated by ocular demonstration of phenomena originating among atom groupations in the mass of glass. The paper is based mainly on the work of E. Daga and A. Ditzel (see RZhKhim, 1956, 62360).

Card : 1/1 -29-

JABLKOWSKI, J.

Application of technological principles in the glass industry. Pt. 2

p. 262
Vol. 6, no. 11, Nov. 1955
SZKLO I CERAMIKA
Warszawa

SO: Monthly List of East European Accessions (EEAL), LC, Vol. 5, no. 3
March 1956

JABLKOWSKI, J.

Achievements and the future of the glass industry. p. 234.
(SZKLO I CERAMIKA. Vol. 7, No. 9, Sept. 1956, Warszawa, Poland)

SO: Monthly List of East European Accessions (EEAL) LC. Vol. 6, No. 12, Dec. 1957.
Uncl.

H-13

POLAND/Chemical Technology. Chemical Products and Their Application. Ceramics, Glass. Binding Materials. Concrete.

Abs Jour: Ref Zhur-Khim., No 2, 1959, 5489.

Author : Jablkowski, Janusz.
Inst :
Title : Melting of a Cone of Glass Batch.

Orig Pub: Szklo i ceram., 1958, 9, No 7, 195-201.

Abstract: Calculation of the possible rate of melting of a cone of glass batch 20 cm high and 40 cm in diameter in a glass furnace at the temperature of 1400° in the combustion space of the furnace was carried out. Under said conditions, the thickness of the vitrified cone part heated to 1350 - 1400° is 3 mm, the thickness of the part heated to the temperature of the reaction

Card : 1/3

JABŁKOWSKI, J.

Efficiency in the glass industry. p.33

SZKŁO I CERAMIKA. (Centralne Zarzady Przemysłu Szklarskiego i Ceramicznego oraz Stowarzyszenie Naukowo-Techniczne Inżynierow i Technikow Przemysłu Chemicznego) Warszawa, Poland. Vol.10, no.2, Feb.1959

Monthly List of East European Accessions Index, (EEAI) LC, Vol.8, no.6
June 1959
Uncl.

JAŁOWIECKI, J.

Advantages of using purified generator gas. p. 232.

SZKIC I TECHNIKA. (Centralne Zarządy Przemysłu Lekkiego i Chemicznego oraz Stowarzyszenie Naukowo-Techniczne Inżynierów i Techników Przemysłu Chemicznego) Warszawa, Poland.
Vol.10, no.8, Aug. 1959.

Monthly list of East European Accessions (EEAI) LC, Vol.9, no.1, Jan. 1960.

Uncl.

JABLØKOWSKI, Janusz

Research on the internal structure of glass. Szkło 12 no.11:334-338 N '61.

JABLKOWSKI, Janusz

Automation problems in the glass industries. Szklo 12 no.12:356-361 D '61.

P/013/62/000/007/001/001
D001/D101

AUTHOR: Jabłkowski, Janusz

TITLE: Elastooptical polariscope

PERIODICAL: Szkło i ceramika, no. 7, 1962, 199-202

TEXT: The article is a description of an elastooptical polariscope made by the company M.P. Chudde, S.P.R.L., 59, Rue de Palais, Bruxelles 5, Belgium. The description leans on brochures received from the manufacturer and is extended by an explanation of elastooptical principles. There are 9 figures.

Card 1/1

JABLKOWSKI, Janusz

Basic principles of the technology of glass; a review of part 3 of W. Nowotny's handbook. Reviewed by Janusz Jablkowski. Szkło i Ceramika 13 [illegible]2:59-60 F '62.

JABLONICKY, S.

Anesthesia in otorhinolaryngology. Bratisl.lek.listy 31 no.3-4:327-343 1951. (CLML 21:1)

1. Of the Otolaryngological Clinic of the Medical Faculty in Bratislava.

LAJKA, J;PROKESOVA, S;BREZA, J;JABLONICKY, S.

Secondary effects of antibiotics in otology. Bratisl. lek. listy 31 no.9-10:921-949 1951. (CLML 22:2)

1. Of the Otolaryngological Clinic of Slovak University, Bratislava.

EXCERPTA MEDICA Sec 11 Vol 12/2 2.7.1. August 59

1471. PARATONSILLITIS - Niekol'ko poznámok k problému paratonzilitid - Jablonický S. ORL Odd. OÚNZ, Humenniom - LEK. OBZ. 1958, 7/10 (628-631)

The frequency, seasonal influences on , and ESR and leucocyte count in abscessing forms of paratonsillitis are studied. Favourable results in 39 patients who underwent tonsillectomy for abscess formation are reported. The advantages of the method immediately after drainage puncture in recurrent inflammation are discussed. Complications: after operation 'à chaud', only insignificant pain and haemorrhage.

JABLONICKY, St.

Detection of chronic otitis in the Humanne region. Cesk. otolar. 8 no.4:243-246 Aug 59.

1. ORL odd. OUNZ v Humennom, prednosta dr. Jablonicky.
(OTITIS MEDIA, diag.)

JABLONICKY, St.

Adenoma of the trachea and bronchus. Cesk.otolar. 8 no.5:264-268 O '59.

1. Otolaryng. odd. OUNZ v Humennom, prednosta MUDr. St. Jablonicky.
(TRACHEA neopl.)
(BRONCHI neopl.)
(ADENOMA case reports)

SUSTER, M., prof. dr., DrSc.; ČSANK, A.; HAVRILA, L.; KOVAL, J.; DEŽKOV, J.; JABLONICKY S.; STOLINA, J.; SVATY, I.; VRZAL, J.; ZRUBEC, F.

Incidence of scleroma in eastern Slovakia. Cesk. otolaryng. 14 no.1:10-13 F'65.

1. Otoryngologická klinika Lekárskej fakulty University P.J. Šafárika v Košiciach (prednosta prof. dr. M. Suster, DrSc.) a ORL oddelenia Okresného ústavu národného zdravia, Prešov, Košice, Humenné, Spišská Nová Ves, Michalovce, Poprad a Rožňava.

[illegible], T.

Determination of the speed of flow of underground water [illegible] on the deformation of the electric field caused by a conductor. [illegible]
([illegible], Bo[illegible], [illegible], [illegible], [illegible])

SO: Monthly List of East European Accessions (EEAL) [illegible], Vol. [illegible], no. 12, December 1957. Incl.

JABLONKA, Stanislaw; MAZONSKI, Tadeusz; TAMIEWSKI, Marian

Comparative studies on pyrolysis of normal heptane, octane decane, and dodecane in a tubular reactor. Przem chem 41 no.5:254-256. My '62.

1. Katedra Technologii Chemicznej Organicznej, Politechnika Slaska, Gliwice.

KILIN, Tadeusz, [illegible]

Asymptomatic retroperitoneal rupture of the duodenum with unusual complications. Pol. tyg. lek. 18 no.52:197 - 1977 - 23 D '63.

1. Z I Kliniki Chirurgicznej Akademii Medycznej w Lublinie (Kierownik: prof. dr med. T. Jacyna-Onyszkiewicz).

JABLONKAI, Gyula, okleveles banyagepeszmernok

Development in the Hungarian coal classification during the past 10 years. Bany lap 95 no.8/9:591-597 Ag-S '62.

1. Banyaszati Tervezo Intezet, Budapest.

JABLONKAI, Istvan

State and tasks of the repair industry for the building machinery. Epites szemle 8 no. 2:50-55 '64.

1. Epitesugyi Miniszterium Gepjavito Vallalat vezerigazgatoja.

ONDRIS, [illegible]

Technicka spoluprace: JABLONOVSKA, A.; HLUBINA, S.

Contribution to the problem of electrolyte disorders in hypertension. Bratisl. lek. listy 44 no.11:641-651 N '64

1. Laboratorium pre vyskum poruch vody a elektrolytov v organizme Lekarskej fakulty Univerzity Komenskeho v Bratislave (vedusi - prof. MU [illegible]) a [illegible] edra internej mediciny I Lekarskej fakulty Univerzity Komenskeho v Bratislave (vedusi - prof. [illegible]).

[illegible]

[illegible]

[illegible]

Engineering Geophysics

Vol. [illegible], no. [illegible], [illegible] 1[illegible]9

Monthly list of East European Accessions (EEAI) LC, Vol. [illegible], no. [illegible] [illegible]

Vol.

JABLONOWSKA, Maria, mgr inz.

Dot and bar image signal generator. Prace Inst telatechn 6 no.1:145-151 '62.

1. Zaklad Telewizji Odbiorczej, Warszawa.

JABLONOWSKI, Witold

Content of oxalates in certain plant food products. Roczn panst zakl hig 15 no.4:411-420 '64.

1. Institute of Food Science, School of Medicine, Lodz. Head, [doc. dr] W.Mlodecki.

JABŁOŃSKI, [illegible], SZPECHT, [illegible]

Vitamin balance studies in the course of parasitic [illegible]. I. Vitamin A content in the body of Fasciola hepatica L., Taenia hydatigena Pall. (larvae), Echinococcus granulosus Batsch (larvae) and Ascaris suum Goeze. Wiad. parazyt. 10 no.[illegible] [illegible]

.. Katedra Zootechniczna Wyższej Szkoły Rolniczej, Olsztyn - Kortowo.

JABŁONOWSKI, Zbigniew

Studies on the behavior of vitamins in the course of parasitic invasion. Wiad. parazyt. 11 no. 1[illegible]-108

1. Katedra Zoohigieny Wyższej Szkoły Rolniczej, Olsztyn.

JABLONSKA, Anna; STASKIEWICZ, Jadwiga

Embolism of the brachial artery in toxic pharyngeal diphtheria. Pediat. pol. 37 no.10:1085-1087 O '62.

1. Z Kliniki Chorob Dzieci AM w Lublinie Kierownik: doc. dr med. A. Sokolowska-Dekowa.
(EMBOLISM) (BRACHIAL ARTERY) (DIPHTHERIA)

JABŁOŃSKA, Anna

A case of jacksonian epilepsy of rheumatic origin. Pol. tyg. lek. 19 no.24:910-910 8 Je '64.

1. Z I Kliniki Pediatrycznej Akademii Medycznej w Gdańsku (kierownik: doc. dr med. A. [illegible]).

JABLONSKA, Anna; SIASKIEWICZ, Jadwiga

A case of pituitary dwarfism treated with ACTH. Przegl. lek. 21 no.6:446-449 '65.

1. Z I Kliniki Pediatrycznej AM w Lublinie (Kierownik: Doc. dr. med. A. Sokolowska-Dekowa).

39370
P/022/60/000/009/001/002
A222/A026

6,5000 (1144, 1177, 1153)

AUTHOR: Jabłońska, Hanna, Master of Engineering

TITLE: Design and Calibration of a Test Hydrophone with a Lithium Sulfate Piezoelectric Element

PERIODICAL: Przegląd Telekomunikacyjny, 1960, No. 9, pp. 261 - 263

TEXT: The author briefly describes the design of a test hydrophone built in the Zakład Elektroakustyki Plitechniki Warszawskiej (Department of Electroacoustics, Warsaw Polytechnic) and the conditions of calibration by means of reciprocation. A cross section of the hydrophone is shown in Figure 1. The reciprocation method of converter calibration, referred to as conventional practice, is applicable only if 1) the converters operate in the range of linearity and 2) the acoustic field in the range of converter calibration constitutes a free-wave field. The calibration of 2 converters by means of reciprocation consists of 3 field measurements and 4 electrical measurements. The accuracy of the tests depends on pool dimensions and varies as a function of frequency. In field tests, an accuracy of ± 0.5 dB may be assumed for frequencies above 8 kc, ± 1 dB between 6 and 8 kc, and ± 1.5 dB or worse below 6 dB. An accuracy of 0.5 dB may be assumed for electrical

Card 1/3

JABLONSKA, IDALIA

WISNIEWSKI, Bronislaw; JABLONSKA, Idalia; GASIOROWSKI, Wiktor

Bone marrow in hyperthyroidism. Polski tygod. lek. 12 no.2: 75-79 7 Jan 57.

1. (Z Oddzialu Wewnetrznego Szpitala Miejskiego nr 7 w Warszawie; b. ordynator prof. dr. Bronislaw Wisniewski i z I Zakladu Chorob Wewnetrznych Instytutu Doskonalenia i Specjalizacji Kadr Lekarskich przy Instytucie Gruzlicy w Warszawie; kierownictwo: prof. dr. Anastazy Landau i prof. dr. Bronislaw Wisniewski). Adres: Warszawa, Plocka 26.

(HYPERTHYROIDISM, pathol.
bone marrow changes (Pol))
(BONE MARROW, in various dis.
hyperthyroidism (Pol))

JABŁOŃSKA, J.

Pterolichus bacus -- new mite species (Analgesoides, Pterolichidae).
Bull. acad. pol. sci. [Biol.] 13 no.4:231-233 '65.

1. Submitted January 29, 1965.

S/058/62/000/008/005/134
A061/A101

AUTHORS: Jabłońska, J., Jabłonski, K.

TITLE: A textolite ionization chamber for gamma-emitter activity measurements

PERIODICAL: Referativnyy zhurnal, Fizika, no. 8, 1962, 7, abstract 8B42 ("Rept. Inst. badań Jądrow. PAN", 1961, no. 255/XIII, 8 pp., illust., English; summaries in Polish and Russian)

TEXT: Design and features of a small (2 x 2 cm) ionization chamber with textolite walls (0.5 mm) are described in detail. The chamber together with a d-c amplifier is used for activity measurements on reactor-produced radioisotopes (e.g., Ir^{192}, Co^{60}, and Au^{198} with activities greater than 100 millicuries). Calibration results are given and the accuracy of measurements is estimated.

[Abstracter's note: Complete translation]

Card 1/1

POLAND

JABLOŃSKA, Jadwiga; JABLOŃSKI, Konrad

Department XIII, Nuclear Research Institute (Zakład XIII IBJ [Instytut Badan Jadrowych])

Warsaw, Przegląd elektroniki, No 7, July 6, pp 256-71.

"Direct Current Measurements in Current Ionization Chamber".

POLAND

DABEK, Waclaw; JABLONSKA, Jadwiga; JANIKOWSKI, Andrzej; TOPA, Jerzy

Department of Reactor Engineering, Nuclear Research Institute (Instytut Badan Jadrowych Zaklad Inzynierii Reaktorowej) (all)

Warsaw, Przeglad elektroniki, No 7, July 63, pp 390-94.

"Compensated Neutron Sensitive Ionization Chamber RAKJ-5 Type".

JABLONSKA, Jadwiga

POLAND

DABEK, Waclaw; JABLONSKA, Jadwiga; JANIKOWSKI, Andrzej, TOPA, Jerzy

Department of Reactor Engineering, Nuclear Research Institute (Instytut Badan Jadrowych Zaklad Inzynierii Reaktorowej) (all)

Warsaw, Przeglad elektroniki, No 7, July 63, pp 394-97.

"Reactor Start-up Fission Chambers".

POLAND

DABEK, Wacław; JAŃCZOWSKA, [illegible]; JANIKOWSKI, Andrzej; SZCZECHLA, Bronisław; TOPA, Jerzy

Department of Reactor Engineering, Nuclear Research Institute (Instytut Badań Jądrowych Zakład Inżynierii Reaktorowej) (all)

Warsaw, Przegląd elektroniki, No 7, July 63, pp 409-13.

"Installed γ-radiation Monitor with DC Pressure Ionization Chamber, KPDG-1/10 Type".

5

TOKARZEWSKA, M.; JABLONSKA, J.; JANIK, A.; MITUS, J.

Effects of certain parameters on the properties of concentrated solutions of polyvinyl alcohol. Polimery tworz wielk 8 no.3:103-105 Mr '63.

1. Zaklad Naukowo-Badawczy, Zaklady Chemiczne, Oswiecim.

ACC NR: AP7002754 SOURCE CODE: [illegible]

AUTHOR: Jablonska, Joanna--Jablonska, Ja.; Janikowski, Andrzej--Janikowski, A.; Topa, Jerzy--Topa, Je.

ORG: Department No of Reactor Physics, Institute of Nuclear Research, Swierk

TITLE: Progress in reactor detectors design and construction carried out in the years 1963-1965. This paper was presented at the Reactor Physics and Engineering Conference held in Budapest from 15 to 19 November 1965.

SOURCE: Nukleonika, v. 11, no. 5, 1966, 349-358

TOPIC TAGS: ceramic to metal seal, ionization chamber, radiation detector/EMKJ-8 ionization chamber, AKJ-4 boron coated chamber, AKJ-3 fission chamber, RJ-300 fission chamber, 9R-8 small size chamber, RR-100 start up chamber, RM-70 neutron beam monitoring chamber, ThR-8 fission chamber, ThR-20 fission chamber, ThR-60 fission chamber

ABSTRACT: A significant progress in technology and construction of various reactor detector types was performed in comparison to the status described in Prague in the year 1963. The main advances are: new isolating materials, particularly ceramic-to-metal seals and high alumina ceramic elements, hydrogen filling for boron chambers and new chamber assembling methods. The new detectors designed are the following: neutron sensitive gamma compensated ionization chamber EMKJ-8 mounted in the rigid extension PK-58; uncompensated: boron coated chambers AKJ-4 and high sensitive AKJ-3 (suitable for reactor noise measurements) and uranium coated RJ-300; fission chambers: small size chamber 9R-8, start-up chamber RR-100, neutron beam monitoring chamber RM-70 and threshold thorium coated fission chambers ThR-8, ThR-20, and ThR-60. The construction of the detectors is shown and the technical data are given. Finally the future work is briefly mentioned. Orig. art. has: 11 figures and 2 tables. [Orig. art. in Eng.] [NA]

SUB CODE: 18 / SUBM DATE: 15Sep65 / ORIG REF: 002

Card 1/1 09235 1628

POLAND

JABLONSKA, Joanna

Dept. of Parasitology, Polish Academy of Sciences (Zaklad Parazytologii PAN), Warsaw

Warsaw, Acta parasitologica polonica, Fasc. 32, Sept 1965, pp 321-336

"Mites of the Analgesoidea group occurring on Paridae and Regulidae during the autumn migration over the coast of the Polish Baltic."

RAFALOWICZ, A[illegible]; SABIONSKA, Maria; MIGDALSKA, Barbara; MULLER, Jerzy; WOLAŃSKA, [illegible]

Lactic dehydrogenase and phosphohexoisomerase in neoplastic diseases. Polski tyg. lek. 15 no.33.1285-1286 15 Ag '60.

1. Z Oddziału Chorób Wewnętrznych Instytutu Gruźlicy w Warszawie; kierownik: prof. dr med. Walenty Hartwig i z Instytutu Onkologii; dyrektor prof. dr med. Józef Laskowski; dyrektor Instytutu Gruźlicy: prof. dr med. Wiwa Jaroszewicz

(NEOPLASMS blood)
(LACTIC DEHYDROGENASE blood)
(ISOMERASES blood)

[illegible], Maria GAJL, [illegible]

Palliative treatment of [illegible] Nowotwory 14 no.[illegible] [illegible]

1. Z Oddziału Roentgenoterapii Instytutu [illegible] (Kierownik Prof. A. Gajl) Dyrektor prof. dr. med. [illegible].

EISELT, E., MUDr.; JABLONSKA, M., MUDr.

Anoxemic hypotension. Cas. lek. cesk. 95 no.22:585-588 1 June 56.

1. IV. interni klinika prof. Dr. Prusika.
(CONGESTIVE HEART FAILURE, complications, anoxemic hypotension(Cz))
(HYPOTENSION, etiology and pathogenesis, congestive heart failure, anoxemic hypotension (Cz))
(ANOXIA, anoxemic hypotension in congestive heart failure (Cz))

EISELT, Evzen; JABLONSKA, Marketa

Differential diagnosis of neurocirculatory asthenia. Cas. lek. cesk. 95 no.42:1172-1175 19 Oct 56.

1. IV. interni klinika KU, prednosta prof. MUDr. B. Prusik E. E., Praha 2, U nemocnice 2.
(NEUROCIRCULATORY ASTHENIA, differential diagnosis, (Cz))

FUCIK, Mojmir; CERNAY, Ladislva; JABLONSKA, Markota. Technicka spoluprace: Vaclav Richter a Jaromira Polanecka.

The influence of intercaine on the leukocyte reaction during investigation with the Bykow-Kurcin tube. Sborn. lek. 60 no.2:68-72 Feb 58.

IV. interni klinika fakulty vseobecneho lekarstvi university Karlovy v Praze, prednosta prof. Dr Bohumil Prusik. Doc. Dr M. F. IV interni klinika, U nemocnice 2, Praha 2.

(LEUKOCYTE COUNT, physiology
eff. of gastric intubation & influence of tetracaine admin. (Cz))
(STOMACH, physiology
eff. of gastric intubation on leukocyte count, influence of tetracaine admin. (Cz))
(ANESTHETICS, LOCAL, effects
tetracaine on leukocyte count reaction to gastric intubation (Cz))

BURIANEK, J.; JABLONSKA, M.; PRAZAK, J.

Role of liver in gastrointestinal hemorrhage. Cas. lek. cesk. 97 no. 20:609-612 16 May 58.

1. IV. interni klinika fakulty vseobecneho lekarstvi KU v Praze, prednosta prof. MUDr. Bohumil. Prusik, doktor lekarskych ved, clen-korespondent CSAV. J. B., Praha 2, U Nemocnice 2.

(LIVER CIRRHOSIS, compl.
gastrointestinal hemorrh. (Cz))
(GASTROINTESTINAL TRACT, hemorrh.
caused by liver cirrhosis (Cz))

RONSKY, R.; SKALA, I.; JABLONSKA, M.; BURIANEK, J.

Determination of blood pepsinogen in patients with liver cirrhosis. Cas. lek. cesk. 98 no.4:110-112 23 Jan 59.

1. IV. interni klinika KU v Praze, prednosta prof. dr. B. Prusik. Pracovni skupina doc. dr. M. Fucika, R.R., Praha 2, U nemocnice 2.

(ENZYME PRECURSORS, in blood
pepsinogen in liver cirrhosis, diag. value (Cz))
(LIVER CIRRHOSIS, blood in
pepsinogen, diag. value (Cz))

BISTRT, B.; JABLONSKA, M.

Mortality in arteriosclerosis. Cas. lek. cesk. 98 no.39:1236-1239 25 S '59.

1. IV. interni klinika, prednosta prof. MUDr. B. Prusik.
(ATERIOSCLEROSIS statist.)

FUCIK, Mojmir; KOHOUT, Jiri; JABLONSKA, M.

Treatment of peptic ulcer with ataraxics. Cas.lek.cesk 100 no.22: 689-692 2 Je '61.

1. IV. interni klinika KU v Praze, prednosta prof. MUDr. M. Fucik.

(PEPTIC ULCER ther) (TRANQUILIZING AGENTS ther)

FUCIK, M.; JABLONSKA, M.

Contribution to the problem of cardiovascular reactions during the examination with Bykov-Kurtsin sound. Cas.lek.cesk 100 no.29/30: 900-905 14 Jl '61.

1. IV. interni klinika KU v Praze, prednosta prof. MUDr. Mojmir Fucik.

(CATHETERIZATION) (GASTROINTESTINAL SYSTEM physiol)
(VASOMOTOR SYSTEM physiol)

FUCIK, M.; KOJECKY, Z.; JABLONSKA, M.; PRAZAK, J.

Modern diagnosis in gastroenterology. Cas.lek.cesk 101 no.2:8-12 5 Ja '62.

1. IV interni klinika KU v Praze, prednosta prof. MUDr. M. Fucik.

(GASTROENTEROLOGY diag)

JABLONSKA, Maria Krystyna

Individual subperiosteal implants as a support for permanent dentures. Roczn. pom. akad. med. Swierczewski. 8:227-242 '62.

1. Z Zakladu Protetyki Stomatologicznej Pomorskiej Akademii Medycznej Kierownik: doc. dr A. Kulikowski.
(DENTAL PROTHESIS) (JAWS) (SURGERY ORAL)

DANIEL, Anna; JABLONSKA, Maria Krystyna

The use of movable dental plates in a patient with advanced paradentosis. Czas. stomat. 18 no.3:277-280 Mr '65.

1. Z Zakladu Protetyki Stomatologicznej Pomorskiej Akademii Medycznej w Szczecinie (Kierownik: prof. dr. A. Kulikowski).

[illegible] , [illegible]

[illegible] metal crowns with a fixing element for a nonsettling [illegible] . Czas. stomat. 18 nr.4:425-428 Ap'65.

[illegible] Katedry Protetyki Stomatologicznej Pomorskiej Akademii [illegible] (Kierownik: prof. dr. A. Kulikowski).

JABLONSKA S., KRUCZYNSKA L.

Wpływ hyaluronidazy na przebieg odczynów alergicznych. /Effect of hyaluronidase on the course of allergic reactions/ Med. doświ. mikrob. 2:3-4 1950 p. 540-53.

1. Of the Dermatological Clinic of the Medical Academy and of the Institute of Tuberculosis in Warsaw.
2. CLML Vol. 20, No. 10 Oct 1951

JABŁOŃSKA G., RUSIDŁO L.

Proby alergiczne z białkami prątków gruźlicy wyodrębnionych z tocznia skóry. [Allergic tests with tubercle bacilli proteins isolated from lupus vulgaris] Med. dośw. mikrob. 2:3-4 1950 p. 562-7.

1. Of the Dermatological Clinic of the Medical Academy and of the Institute of Tuberculosis in Warsaw.
CLML Vol. 20, No. 10 Oct 1951

JABLONSKA, S.

Nervosism in dermatology. Przegl. derm., Warsz. 1 no.1:1-9 June 1951.
(CIML 23:2)

JABLONSKA, S.

Accidental vaccinia; difficult differentiation from herpes progenitalis. Przegl. derm., Warsz. 2 no.1:1-9 Jan-Mar 1952. (CIML 23:2)

1. Of the Dermatological Clinic (Head--Prof. S. Jablonska, M.D.) of Warsaw Medical Academy.

HAUSMANOWA, I.; JABLONSKA, S.; HUDZKI, E.

Variations in luminal and cardiazol tolerance in experimental staphylococcal infection of mice and rabbits. Neurologia &c. polska 2 no.6: 667-674 Nov-Dec 1952. (CLML 24:2)

1. Of the Neurological Clinic (Head--Prof. A. Opalski, M.D.) and of the Institute of Dermatology and Venereology (Head--J. Sucjanek, M.D.).

RZUCIDLO, L.;JABLONSKA, S.;OSTROWSKI, J.;FABIANSKA, L.;SZUCHNIK, A.

Chemical and biological properties of tuberculin prepared from various strains of Mycobacterium tuberculosis. Gruzlica, Warsz. 20 no.3:313-323 May-June 1952. (CLML 23:2)

1. Of the Institute of Tuberculosis (Director--Prof. J. Misiewicz, M.D.) and of the Dermatological Clinic of Warsaw Medical Academy and of Warsaw Vaccine and Serum Manufacturing Plant.

JABŁONSKA, S.,RUDZKI, E.

Observations on the effect of large doses of caffeine in streptococcal infections in white mice. Przegl. derm., Warsz. 3 no.2:207-209 Apr-June 1953. (CIML 25:4)

1. Of the Dermatological Clinic (Head--Prof. S. Jablonska, M.D.) of Warsaw Medical Academy and of the Institute of Dermatology and Venereology (Director--J. Suchanek, M.D.), Warsaw.

JABLONSKA, S.;RUDZKI, E.

Effect of ACTH on the course of experimental staphylococcal infections in laboratory animals. Med. dosw. mikrob. 5 no.1:51-69 1953. (CIML 24:5)

1. Of the Dermatological Clinic of Warsaw Medical Academy.

JABLONSKA, Stefania

Methods of education of scientific cadres. Postepy wiedzy med. 3 no.4:407-415 Oct-Dec 1956.

(EDUCATION, MEDICAL,
in Poland (Rus))

JABLONSKA, S.; LUKASIAK, B.

Raynaud's syndrome and related spastic states of the peripheral arterioles. Polski tygod. lek. 12 no.38:1441-1445 16 Sept 57.

1. (Z Kliniki Dermatologicznej A. M. w Warszawie, kierownik: prof. dr med. S. Jablonska) Adres: Warszawa, ul. Koszykowa 82 a, Klinika Dermatologiczna A. M.
(RAYNAUD'S DISEASES, differential diagnosis, capillaroscopy (Pol))

EXCERPTA MEDICA Sec 13 Vol 13/2 Dermatology Feb 59

640. EVALUATION OF CHRONAXIE MEASUREMENTS IN SCLERODERMIA - Auswertung von Chronaxiemessungen bei Sklerodermie - Jablonska S., Bubnow B. and Lukasiak B. Dermatol. Klin., Warschau - DERM. WSCHR. 1957, 136/31 (821-837) Tables 14 Illus. 3

Studies in 60 cases of circumscribed and diffuse scleroderma revealed a prolongation of chronaxie, both in the foci of the disease and in the unaltered parts of the skin. This is a pathognomonic sign of scleroderma, and can be used as a basis for differentiating it from other diseases. In all clinically doubtful cases, measurement of the sensory chronaxie is indicated. The prolongation of the conduction capacity of nerves in seemingly unaltered skin in scleroderma appears to indicate a primary lesion of the nervous system. The fact that the chronaxie alterations in diffuse and in circumscribed scleroderma are identical, suggests that these conditions are only morphological variants of one basic condition. The extent of the chronaxie alterations in foci of the disease, and especially in the unaltered skin, depends mainly on the activity of the disease. Evaluation of the chronaxie is of importance in determining the efficacy of treatment. A decreasing chronaxie means success, whereas persistently high values, even when accompanied by pro-

EXCERPTA MEDICA Sec 13 Vol 13/2 Dermatology Feb 59

644. SCLERODERMA-LIKE CONDITIONS. THE DIFFERENTIAL DIAGNOSIS IN CONTRAST WITH SCLERODERMIA ON THE BASIS OF MEASUREMENTS OF CHRONAXIE SENSITIVITY - Sklerodermähnliche Zustände. Die Differenzialdiagnose gegenüber Sklerodermie auf Grund von Sensibilitätschronaxiemessungen - Jablonska S., Bubnow B. and Lukasiak B. Dermatol. Klin., Warschau - DERM. WSCHR. 1957, 136/45 (1201-1209) Illus. 12

With the aid of chronaxie sensitivity the authors were able to separate scleroderma from scleroderma-like changes. In sclerodermia the chronaxie is always lengthened even when the skin is seemingly unchanged.

Koenigsbauer - Knittelfeld

JABLONSKA S.

EXCERPTA MEDICA Sec 13 Vol 13/3 Dermatology Mar 59

839. DOES OCULAR PEMPHIGUS BELONG TO THE PEMPHIGUS GROUP? - Zagadnienie przynależności tzw. pęcherzycy ocznej do grupy pęcherzycy. Jabłońska S., Segał P., Milewski B. and Dąbrowska H. Klin. Dermatol. A. M., Warszawa - PRZEGL. DERM. WENER. 1958, 8/2 (135-147) Illus. 11

A case of so-called ocular pemphigus is compared with one of pemphigus vulgaris with primary mucosal lesions. The differential diagnosis is based on the histological findings (acantholysis in pemphigus vulgaris). The name 'pemphigoid mucosae' is proposed. The author rejects the name 'pemphigus ocularis', because the condition is not pemphigus, while there is not always conjunctival localization.

Tijdens - Maastricht

JABLONSKA, S.; FABJANSKA, L.; MILEWSKI, B.

Bullous diseases. II. Pemphigoid - its relation to pemphigus & Duhring's disease. Przegl. derm., Warsz. 8 no.6:609-620 1958.

1. Z Kliniki Dermatologicznej A.M. w Warszawie Kierownik: prof. dr S. Jablonska. Adres: Warszawa, Klinika Dermatologiczna Akademii Medycznej Koszykowa 82 a.

(DERMATITIS HERPETIFORMIS, differ. diag.
pemphigus & pemphigoid dis. (Pol))
(PEMPHIGUS, differ. diag.
dermatitis herpetiformis & pemphigoid dis. (Pol))
(SKIN DISEASES, differ. diag.
pemphogoid dis. from pemphigus & dermatitis herpetiformis (Pol))

JABLONSKA, Stefania; LUKASIAK, Bozena; BUBNOW, Bogdan

Facial hemi-atropy & its relation to scleroderma. Polski tygod. lek. 13 no.6:201-207 10 Feb 58.

1. (Z Kliniki Dermatologicznej A. M. w Warszawie; kierownik: prof. dr S. Jablonska) Adres: Warszawa, ul. Koszykowa 82a. Klin. Dermatologiczna.

(FACE, dis.
hemiatrophy, differentiation from scleroderma (Pol))
(SCLERODERMA, differ. diag.
hemiatrophy of face (Pol))

JABLONSKA, Stefania; SEGAL, Pawel

Atypical & abortive forms of Werner's syndrome. Polski tygod. lek. 13 no.40:1521-1527 6 Oct 58.

1. Z Kliniki Dermatologicznej A. M. w Warszawie; kierownik: prof. dr S. Jablonska i z Oddzialu Ocznego C.W.S.K. w Lodzi; ordynator: doc. dr P. Segal Adres: Koszykowa 82 a; Klinika Dermatol. Ak. Med.

(PROGERIA
Werner's synd., atypical & abortive forms (Pol))
(CATARACT
same)

1151. CLASSIFICATION OF HAILEY-HAILEY'S PEMPHIGUS, ITS RELATIONSHIP WITH PEMPHIGUS VULGARIS AND THE VESICULAR VARIETY OF DARIER'S DISEASE - Zur Klassifikation des Pemphigus Hailey-Hailey, Seine Beziehung zum Pemphigus vulgaris und zur vesikulösen Variante der Morbus Darier - Jabłońska S. and Chorzelski T. Univ.-Hautklin., Warschau - DERMATOLOGICA (Basel) 1958, 117/1 (24-38) Illus. 13

On the basis of 6 typical cases of Hailey-Hailey's pemphigus, and of a case of vesiculous Darier's disease for comparison, the nosological position of Hailey-Hailey's pemphigus is discussed. The important morphological characteristic is acantholysis, while in Darier's disease the dyskeratotic formations of the 'corps ronds' and the 'grains' rank in the first place. Hailey-Hailey's pemphigus differs basically from bullous Darier's disease through the lack of the typical dyskeratosis. Hailey-Hailey's pemphigus can show a great similarity in the histological and cytological picture with pemphigus vulgaris, but a differential diagnosis is easily possible on the grounds of the clinical picture and the course of the disease. Hailey-Hailey's pemphigus is thus to be regarded as an independent nosological entity.

JABLONSKA, S.

Prof. A. Touraine, on his seventy-fifth birthday. Przegl.derm., Warsz. 46 no.5:552-554 S-O '59.
(BIOGRAPHIES)

JABLONSKA, Stefania; LEWENFISZ-WOJNAROWSKA, Teofila; MILEWSKI, Boguslaw; ZAORSKA, Barbara

Evaluation of changes in apparently normal skin in children with rheumatic disease. Reumatologia Polska no.3:229-241 '60.

1. Z II Kliniki Chorob Dziecieycyh AM w Warszawie Kierownik: prof. dr med. Mieczyslaw Michalowicz Zastepca kierownika: prof. dr med. Teofila Lewenfisz-Wojnarowska Z Kliniki Dermatologicznej AM w Warszawie Kierownik: prof. dr med. Stefania Jablonska
(RHEUMATIC FEVER pathol)
(SKIN pathol)

LEWENFISZ-WOJNAROWSKA, Teofila; JABLONSKA, Stefania; ZAORSKA, Barbara

Evaluation of the dynamics of cutaneous changes under the influence of therapy of children with rheumatic disease. Pediat.polska 35 no.9:1061-1074 S '60.

1. Z II Kliniki Pediatrycznej A.M. w Warszawie Kierownik: prof. dr med. T.Lewenfisz-Wojnarowska i z Kliniki Dermatologicznej A.M. w Warszawie Kierownik: prof. dr med. S.Jablonska.
(RHEUMATIC EVER ther)
(SKIN physiol)

JABLONSKA, Stefania; BUBNOW, Bogdan; AMATUNI, Helena

False scleroderma (pseudoscleroderma). I. Pseudosclerematous changes in primary chronic (evolutive) rheumatism. Przegl.derm., Warsz. 47 no.1:1-10 Ja-F '60.

1. Z Kliniki Dermatologicznej A.M. w Warszawie. Kierownik: prof. dr. S. Jablonska. Z Panstwowego Instytutu Reumatologii w Warszawie.

(ARTHRITIS RHEUMATOID pathol.)
(SCLERODERMA etiol.)

JABLONSKA, Stefania; PETRYKIEWICZ, Roman

False scleroderma (pseudoscleroderma). II. Pseudoscleredermatous changes in neurotrophic changes associated with chronic rheumatism. Przegl.derm.,Warsz. 47 no.2:85-92 Mr-Ap '60.

1. Z Kliniki Dermatologicznej A.M. w Warszawie. Kierownik: prof. dr S. Jablonska.

(SCLERODERMA compl.)
(ARTHRITIS RHEUMATOID compl.)

DZULYNSKA, Janina; JABLONSKA, Stefania; MAZURKIEWICZ, Walentyna; PIEKARSKA, Zofia

Neuraminic acid and polysaccharides in serum protein fractions in the so-called collagenoses (scleroderma and lupus erythematosus). Polski tygod.lek. 16 no.1:1-10 2 Ja '61.

(LUPUS ERYTHEMATOSUS blood)
(SCLERODERMA blood)
(BLOOD PROTEINS chem)
(NEURAMINIC ACIDS blood)
(POLYSACCHARIDES blood)